

Please write clearly in	า block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	,

# GCSE COMBINED SCIENCE: TRILOGY



Higher Tier Physics Paper 2H

Friday 14 June 2024 Afternoon Time allowed: 1 hour 15 minutes

### **Materials**

For this paper you must have:

- a protractor
- a ruler
- · a scientific calculator
- the Physics Equations Sheet (enclosed).

### Instructions


- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

## Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
TOTAL	








0 1

A teacher demonstrated how the frequency of a wave on a string affects the wavelength of the wave.

Figure 1 shows the equipment used.

Figure 1



The frequency of the signal generator is adjusted so that the wave shown in **Figure 1** is seen.

At this frequency the string vibrates between the two positions shown in Figure 1.

0 1.1	Describe a method the teacher could use to investigate how the frequency of the wave affects the wavelength.	[4 marks]



	Use the Physics Equations Sheet to answer questions <b>01.2</b> and <b>01.3</b> .	ou
0 1.2	Which equation links frequency ( $f$ ), wavelength ( $\lambda$ ) and wave speed ( $\nu$ )? [1 mark] Tick ( $\checkmark$ ) one box.	
	$f = \lambda \times V$	
	$\lambda = f \times V$	
	$V = f \times \lambda$	
0 1.3	The wave on the string has a frequency of 45.0 Hz.	
	The wave speed is 35.1 m/s.	
	Calculate the wavelength of the wave.  [3 marks]	
	Wavelength =m	_



**0 2 Figure 2** shows an Olympic gymnast performing a floor routine.

Figure 2



The floor contains springs.

When the gymnast lands on the floor, a force compresses the springs in the floor.

0 2 . 1	When a spring is compressed, the elastic potential energy of the spring increases.
	Explain why compressing the springs in the floor helps the gymnast to jump higher.
	Use ideas about energy in your answer.  [2 marks]

Question 2 continues on the next page



0 2.2	When the gymnast lands on the floor, one of the springs compresses by 1.2 cm	
	spring constant = 8500 N/m	
	Calculate the elastic potential energy stored in the spring.	
	Use the Physics Equations Sheet.	
	Give the unit.	marks]
	Elastic potential energy = Unit	




A student investigated a spring with a different spring constant.

When masses are placed on the spring it compresses.

The student measured the compression of the spring for different masses.

Figure 3 shows some of the equipment used.

Figure 3




0 2 . 3	Describe how the compression of the spring could be determined.  [2 marks]
	[=
0 2.4	Explain why the investigation should be done on the laboratory floor rather than on
	a table. [2 marks]





Figure 4 shows the results.







	The spring constant is the gradient of the line of best fit shown on <b>Figure 4</b> .	
0 2.5	Determine the value $\Delta y$ on <b>Figure 4</b> . [1 mark	]
	$\Delta y = $ N	-
0 2.6	Determine the value $\Delta x$ on <b>Figure 4</b> . [1 mark	]
	$\Delta x =$ n	-   1
0 2.7	Determine the spring constant of the spring.	
	Use your answers to Question <b>02.5</b> and Question <b>02.6</b> .	
	Give your answer to 3 significant figures.  [2 marks	]
		-   _
	Spring constant (3 significant figures) =N/n	ı   [
	Turn over for the next question	

0 3	Electromagnetic waves are grouped according to their wavelength and freque	ency.
	Electromagnetic waves are transverse waves and can travel through a vacuu	ım.
0 3.1	Give one <b>other</b> property that is the same for all types of electromagnetic wave	/e. [1 mark]
0 3.2	What is meant by 'transverse wave'?	[1 mark]
0 3.3	Which group of electromagnetic waves is used for satellite communications?	[1 mark]
0 3.4	Visible light is the only group of electromagnetic waves that the human eye can detect.  Which colour of visible light has the shortest wavelength?	[1 mark]



Do not write outside the box

0 3 . 5	The three highest frequency groups of electromagnetic waves are hazardous.
	Describe a risk linked to each group of high frequency electromagnetic wave.
	[2 marks
	Question 3 continues on the next page



**Figure 5** shows a person using a mobile phone to allow a laptop to access the Internet.

Figure 5



The electromagnetic waves emitted by the mobile phone send information to the laptop.

0 3 . 6	The electromagnetic waves emitted by the mobile phone have a period of $4.0 \times 10^{-10}$ s.	
	Calculate the frequency of the waves.	
	Use the Physics Equations Sheet.	
	Give your answer in standard form.	[3 marks]
	Frequency (in standard form) =	Hz



0 3.7	The electromagnetic waves are produced by oscillations in the transmitter of the mobile phone.	outside the box
	Explain how oscillations in the transmitter enable information to be transferred to the detector in the laptop.  [4 marks]	
		13

Turn over for the next question

Turn over ▶

Do not write




0 4	Figure 6 shows two magnets and a wire.
	There is a current in the wire.
	Figure 6
	Wire  I  S
0 4.1	A force acts on the wire in <b>Figure 6</b> .  What is the direction of the force on the wire?
	[1 mark]
	Tick (✓) one box.  Into the page  Out of the page  To the left  To the right




0 4 . 2	The length of the wire in the magnetic field between the magnets is 80	mm.
	The current in the wire is 4.6 A.	
	The force on the wire is 0.092 N.	
	Calculate the magnetic flux density between the magnets.	
	Use the Physics Equations Sheet.	
	Give the unit.	[4 marks]
		[4 marks]
	Magnetic flux density =Uni	t

Question 4 continues on the next page





# Figure 7






Newton's third law

0 4

	[2 marks]  1  2	
0 4 . 5	Give <b>two</b> changes to the electromagnet that would reverse the direction of the force exerted on the permanent magnet.  [2 marks]  1	10

Turn over for the next question







	Question 5 continues on the next page
0 5.2	The reaction time of the driver was measured.  How can the reaction time of the driver be used to calculate the thinking distance?  [1 mark]
	Initial velocity = m/s
	[4 marks]
	Calculate the initial velocity of the car.  Use the Physics Equations Sheet.
	Then the car accelerated at 5.8 m/s² for 2.5 s.  The final velocity of the car was 20 m/s.
0 5.1	At the start of the test the car was moving slowly.
0 5	A safety test was carried out to determine how the speed of a car affects the stopping distance of the car.




The car was driven at a constant speed. The driver applied the maximum braking force, and the braking distance was measured.

The test was repeated at different speeds.

Figure 8 shows the results.

Figure 8





0 5 . 3	Which of the following gives the relationship between the speed and the braking distance?	
		[1 mark]
	Tick (✓) <b>one</b> box.	
	braking distance ∝ 1/speed	
	braking distance ∝ speed	
	braking distance ∝ speed²	
0 5 . 4	During one test the brakes were applied with a force of 6250 N.	
	The deceleration of the car was 5.0 m/s <sup>2</sup> .	
	The braking distance of the car was 14.4 m.	
	Determine the momentum of the car before the brakes were applied.	
	Use the Physics Equations Sheet.	
	Use Figure 8.	[6 marks]
		[6 marks]
	,	
	Momentum =	kg m/s




0 6

Rockets have been developed so that people who are not trained astronauts can pay to travel to space.

Figure 9 shows the passenger module and the propulsion module of a rocket.

The propulsion module burns a large volume of fuel.

Figure 9





0 6.1	The rocket was initially stationary on the ground.	
	Then the rocket accelerated upwards until it reached a height of 40 km.	
	The constant acceleration of the rocket was 6.48 m/s <sup>2</sup> .	
	Calculate the velocity of the rocket at a height of 40 km.	
	Use the Physics Equations Sheet.	[4 marks]
	Velocity =	m/s
0 6 . 2	Explain how the weight of the rocket changed as it accelerated upwards.	[3 marks]
	Question 6 continues on the next page	
	. •	



0 6 . 3	At a height of 40 km, the rocket stopped burning fuel.	
	The rocket continued upwards to its maximum height of 60 km.	
	Explain why the velocity of the rocket decreased between a height of 40 km and	
	a height of 60 km. [3 marks	]
		-
		-
		-
		-
		-
		-
		-




0 6 . 4

At a height of 60 km the two modules of the rocket separated and the passenger module fell back to Earth.

Figure 10 shows the passenger module falling towards the Earth's surface.

Figure 10



Using parachutes causes the passenger module to fall with a lower terminal velocity than if parachutes were not used.


Explain why the parachutes allow the passenger module to fall with a lower terminal velocity.	er	
	[3 marks]	

**END OF QUESTIONS** 



IB/M/Jun24/8464/P/2H

13





Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2024 AQA and its licensors. All rights reserved.



